

MATE

明越



微信视频号



微信公众平台



抖音平台

总部地址

中国·浙江 湖州市安吉县递铺镇塘浦工业园梅灵路 758 号

Company Address

No.758 Meiling Road,TangPu Industrial Zone,Anji County,Huzhou City,Zhejiang Province

400 926 0980

kano





圆角设计，双色封边

"Rounded corner design, Two-color edge sealing"

如何运用简约却不简单的造型将精致的商务风格体现出来，是设计圈永不过时的话题。

How to use simple but not simple shape to reflect the exquisite business style is an eternal topic in the design circle.



创新性设计可调节脚
Innovative design and adjustable feet.




活跃，是桌面之下看不见的流动感；创新，是桌面之上不断生成的对话
Activity is the unseen flow beneath the tabletop. Innovation is the conversation that keeps forming above it.



时尚钢制挡板
Stylish steel baffle.



灵感流动，思维无界
Ideas flow, borders dissolve



让活跃灵感不再散落，继而向无界蔓延

A place for active inspiration to gather—before it spreads without boundary.

_ Features

堆叠设计 轻松收纳 优化空间利用

STACKING DESIGN EASY STORAGE
OPTIMIZE SPACE UTILIZATION



模 块化 (MODULARIZATION)



培训桌灵活拼接或堆叠，满足不同空间需求，营造高效、静谧且富有创意的学习环境，提升培训效果与影响力，助力知识的传递与实践。

The training table is flexibly arranged or stacked to meet different space requirements, creating an efficient, quiet and creative learning environment, improving the training effect and impact, and helping the transmission and practice of knowledge.

类型 / Classification



FMU70.07/ FMU70.12/ FMU70.14/FMU70.16

700*600*750 / 1200*600*750 / 1400*600*750 / 1600*600*750



FMU71.12

1200*520*750



FMU70.04DB/FMU70.09DB/FMU70.11DB/FMU70.13DB

490*300*12 / 990*300*12 / 1190*300*12 / 1390*300*12



FMU71.04DB/FMU71.09DB/FMU71.11DB/FMU71.13DB

490*300*16 / 990*300*16 / 1190*300*16 / 1390*300*16



FMU72.05DB

570*300*12



FMU73.05DB

570*300*16




FMU10.03/FMU10.04/FMU10.08/FMU10.10/FMU10.12

332*202*107/432*202*107/832*202*107/1032*202*107/1232*202*107

板材 / Color Swatches

-C-F



CF61-WM
雅士白饰面



CF08-LS
直纹棕核桃木拉丝饰面



CF09-WM
直纹原木核桃木



CF12-WM
白色直纹核桃木饰面



CF17-WM
流星灰饰面



CF41-WM
流光橡木饰面



CF42-WM
摩卡橡木饰面



CF60
歌德白橡木饰面



金属灰

* 鉴于产品不断更新，日后产品规格等若有变动，以实物为准，不再另行通知。

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.